Dishwasher

DBI564ISSOF

40 series
Noise level (max): 42 dB(A)
Number of place settings: 16 pcs
Number of racks: 3
Upper rack type: Premium, fixed tines and foldable wine shelves
Size: XL
Turbo Combi Drying™ ensures dry dishes with fan assisted evacuation of moisture in combination with Auto Door Opening
ADA Compliant: Yes
Automatic dosing system: No
Installation: Built-in

ENERGY GUIDE
Click for this product's energy information

ADA COMPLIANCE
AMERICANS WITH DISABILITIES ACT

ENERGY STAR
Most Efficient 2025
www.energystar.gov

Construction and performance
- 8 Steel™ - Vital parts of the dishwasher made in stainless steel: Yes
- No need to rinse the dishes thanks to Super Cleaning System™: Yes
- Automatic water-softener for better washing performance: Yes
- Number of spray arms: 3 pcs
- Number of spray zones: 9
- Cleaning systems: Adjustable power zones that can be set for cleaning Pots & Pans or Bottles & Vases. Can also be turned off., Stainless steel spray arms, Aqua Level™ Sensor, No need to rinse the dishes thanks to Super Cleaning System™, Cutlery Spray™ - Extra dishwashing power for the cutlery basket
- Exterior handle: Integrated handle with soft closing

Use and flexibility
- Number of place settings: 16 pcs
- Number of racks: 3
- Top tray: Easy height adjustment, Handle, Removable
- Upper rack type: Premium, fixed tines and foldable wine shelves
- Upper basket system: Switch wheels
- Upper basket: Standard knife stand, Fixed glass support, Fixed pin rows, Foldable wine shelves to right, Foldable wine shelves to left, Handle with plastic logotype, Small distance between the basket threads - makes loading easy and prevents small items to fall through
- Middle basket: Without middle basket
- Lower rack type: Premium - Basket wiring in steel, fixed pin rows and removable cutlery basket
- Lower rack: Small distance between the basket threads - makes loading easy and prevents small items to fall through., Handle with plastic logotype, Foldable/divisible rear pin row, Cutlery basket
- Automatic dosing system: No
- Interior light: No

Interaction and control
- Wifi: No
- Type of display: LCD display
- Status Light™ - Visual indication of dishwashing progress: Yes, spot on floor
- Remaining time indication: Yes
- Wash end indication: Displayed with sound and light

• Language settings: Chinese simpified, Chinese traditional, Swedish, Slovenian, Slovak, Russian, Portuguese, Polish, Norwegian, Dutch, Latvian, Lithuanian, Japanese, Italian, Croatian, French, Finnish, Estonian, Spanish, English, German, Danish, Czech, Ukrainian

Functions, programs and modes
• Programs: Anti odour, Sanitize, Light wash, Self cleaning, Rinse and hold programme, Time program, Standard, Intensive program, Quick wash
• Delayed start: Possible to delay up to 24 hours
• Options and modes: Enable/disable automatic door opening, Super Rinse™ - Two extra rinses, Time set, Speed mode - The program time is shortened. More energy is used., Night mode - Lower noise level. The program time is extended., Heat Boost Mode

Design and integration
• From the front adjustable door spring: No
• From front adjustable rear foot: Yes
• Installation: Steam protection strip, Trim kit, Integrated anti-siphon - Prevents spontaneous in- and outlet of water and simplifies elevated installation, Multi fit outlet hose
• Sliding door: No
• Possible to install elevated: Yes
• Min. niche width: 24 ''
• Min. niche height: 32 11/16 ''
• Depth (incl. wall spacing): 21 7/8 ''
• Max Height adjustment: 2 1/16 ''
• Adjustable kick plate: No

Safety and maintenance
• Aqua Safe™: Anti Block™ - Self cleaning drain pump, Light and sound alarm, Maximum time for water intake, Extra durable PEX inlet hose, Stand-by water protecion - Leakage detection when machine is off, Aqua Level™ Sensor - Ensures an optimized water level, Aqua Detect™ - Instant recognition of any leakage in the motor compartment, Detection of water leakage on the bottom plate, Waterproof bottom plate, Extra durable stainless steel container, Sealing points outside container
• Aqua Safe™ system: Yes
• Child safety: Kid Safe™ - Lockable controls
• Indication of low level of rinse-aid: Notification in display
• Salt refill indicator: Notification in display

Technical data
• Water connection: Hot or cold
• Adapter for water connection: No
• Max. temperature of inflow water: 140 °F
• Noise level (max): 42 dB(A)
• Reference programme: 1
• Duration of standard programme: 125 min
• Estimated yearly energy consumption: 220 kWh
• Energy consumption - normal program: 1 kWh
• Estimated annual water consumption: 647.5 gal
• Water consumption: 3 gal
• Power consumption in standby mode: 0.5 W
• Plug type: USA
• Connected load: 1300 W
• Voltage (V): 120 V
• Number of phases: 1
• Fuse: 15 A
• Frequency: 60 Hz
• Required inlet water pressure psi: 0,03-1
• Net weight: 90.4 lb

Dimensions
• Width: 23 15/16 ''
• Height: 32 11/16 ''
• Depth: 21 13/16 ''
• Maximum product height: 34 13/16 ''
• Length of electrical cord: 71 7/16 ''

- Depth with door open: 46 7/8 ''
- Length inlet hose: 64 3/16 ''
- Length outlet hose: 90 9/16 ''

Logistic information
- Packaging width: 25 3/16 ''
- Packaging height: 35 1/16 ''
- Packaging depth: 26 3/4 ''
- Gross weight: 97 lb
- Product code: 740108
- EAN code: 3838782645464